jct JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 63
Numbers 792-803
January—December, 1991

Journal of Coatings Technology
1991 Annual Index

Keywork Subject Index

Prepared by Technical Information
Systems Committee

Additives

Biocides ..... May, p. 33.
Flow Agents ..... Jan., p. 95.
Light Stabilizers ..... July, p. 41; Aug., p. 53.
Photoinitators ..... Feb., p. 35.
Thickeners ..... July, p. 31.

Analysis

Corrosion Resistance ..... Nov., p. 20.
Fluorescence ..... July, p. 31.
Image Analysis ..... Oct., p. 111.
Impedance ..... Feb., p. 25; Mar., p. 67.
Weathering ..... Aug., p. 53.

Chemical Compounds

Rosin ..... Sept., p. 83.

Coating Components

Acrylic ..... July, p. 41.
Acrylic Urethane ..... Apr., p. 29.
Alkyds ..... Sept., p. 75; Nov., p. 47.
Amine Quinone ..... May, p. 47; May, p. 51.
Epoxy Phosphate Ester ..... June, p. 47.
Epoxy Polyester ..... May, p. 39; June, p. 37.
Isocyanate ..... Feb., p. 19.
Latex ..... July, p. 31; Nov., p. 35; Dec., p. 39.
Nitrocellulose ..... Dec., p. 47.
Silane ..... Jan., p. 79.
Zinc Rich ..... Feb., p. 31; Mar., p. 67.

Coatings

Adhesion ..... June, p. 47; Nov., p. 55.
Aerospace ..... Dec., p. 25.
Architectural ..... Mar., p. 59.
Automotive ..... July, p. 55; Aug., p. 53.
Blistering ..... Mar., p. 43.
Delamination ..... Feb., p. 19.
Cathodic Protection ..... Feb., p. 31.
Corrosion (Anti-) ..... Jan., p. 85; Mar., p. 43; Apr., p. 35; Oct., p. 91; Oct., p. 101; Nov., p. 20.
Cracking ..... June, p. 55.
Curing (Films) ..... May, p. 39; May, p. 47; June, p. 37; July, p. 47.
Flexibility ..... June, p. 47.
Flow ..... Jan., p. 95.
Food Package ..... July, p. 47.
Hiding ..... Nov., p. 35.
High Solids ..... July, p. 41.
Lacquers ..... Dec., p. 47.
Mildew Resistant ..... May, p. 33.
Powder ..... May, p. 39; June, p. 37.
Primers ..... Feb., p. 25; Oct., p. 91; Oct., p. 101; Dec. p. 33.
Review ..... Sept., p. 89.
Soil-Resistant ..... Dec., p. 25.
Self-Stratifying ..... Apr., p. 23.
Stress ..... June, p. 55.
UV Cure ..... Feb., p. 35.
Viscoelasticity ..... Nov., p. 55.
Water Based ..... May, p. 33; June, p. 61.
Water Sorption ..... Jan., p. 85.
Weathering ..... June, p. 55; Aug., p. 63; Sept., p. 53.
Wood Exterior ..... Sept., p. 53; Dec., p. 47.

Computer Applications

Cascade Applicator ..... Jan., p. 103.

Films

Drying ..... Nov., p. 35.

Formulation

Solvent ..... May, p. 51.

Industry Management

Review ..... Sept., p. 89.

Liquids

Rheology ..... Sept., p. 75.

Manufacturing

Dispersion ..... June, p. 61.
Triglyceride-Rosin ..... Sept., p. 83.

Optics Color

Gloss ..... Aug., p., 43.

Pigments

Adsorption ..... Oct., p. 81.
Corrosion (Anti-) ..... Oct., p. 91; Oct., p. 101.
Dispersion ..... Mar., p. 59; June, p. 61; Oct., p. 111.
Flocculation ..... Aug., p. 43.
Iron Phosphide ..... Mar., p. 67.
Particle Orientation ..... Oct., p. 111.
Titanium Dioxide ..... Mar., p. 59.
Zinc ..... Feb., p. 31.
Zinc Oxide ..... Dec., p. 33.

Polymeric Components

Acrylic Urethane ..... Apr., p. 29.
Amine Quinone ..... May, p. 47; May, p. 51.
Silane ..... Jan., p. 79.

Polymers

Adsorption ..... Oct., p. 81.
Crosslinks ..... Apr., p. 29.
Polymerization ..... Feb., p. 35.
Solubility Parameter ..... Apr., p. 23.

Pretreat Application

Cascade Applicator ..... Jan., p. 103.
Curing ..... July, p. 47.
Spray Paint Recovery ..... July, p. 55.

Solvents

Coupling ..... Nov., p. 47.
Glycol Ethers ..... Nov., p. 47.
Solubility Parameter ..... Apr., p. 23.

Substrates

Corrosion ..... Jan., p. 85; Feb., p. 25; Mar., p. 43.
Metal ..... Nov., p. 20.
Plastics ..... Dec., p. 33.
Propylene, Poly ..... Aug., p. 63.
Wood ..... Sept., p. 53; Dec., p. 39.

Alphabetical Listing of Papers

A

Acrylic Melamine Coating Compositions Containing Polymer-Bound Hindered Amine Light Stabilizer Acrylic Resins—P.A. Callais, V.R. Kamath, and J.D. Sargent, July, p. 41.

Adhesion and Flexibility Contributions to the Performance of Epoxy Phosphate Ester Coatings—J.L. Massingill, June, p. 47.

Analytical Studies of Light Stabilizers in Two-Coat Automotive Finishes—H Böhnke, L. Avar, and E. Hess, Aug., p. 53.

Application of Time/Temperature Superposition Techniques to Powder Coating Cure—C.M. Neag and R.B. Prime, June, p. 37.

Applications of Photoinitiated Cationic Polymerization in Coatings—J.V. Crivello, Feb., p. 35.

C

Calculation of Boiling Points from the Number of Homolog Carbons—C.H. Fisher, Aug., p. 79.

Changes in Hiding During Latex Film Formation: Part II. Particle Size and Pigment Packing Effects—Cleveland Society, Nov., p. 35.

Chemical Treatment of Overspray Paint—S.F. Kia, D.N. Rai, M.A. Shaw, G. Ryan, and W. Collins, July, p. 55.

Coupling Solvent Effects on Water-Reducible Alkyd Resins—R.G. Vance, N.H. Morris, and C.M. Olson, Nov., p. 47.

Crack Formation and Stress Development in an Organic Coating—M. Oosterbroek, R.J. Lammers, L.G.J. van der Ven, and D.Y. Perera, June, p. 55.

D

Determination of the Protective Properties of Cationic Primers with A.C. Impedance Measurements—V.B. Miskovic-Stankovic, D.M. Drazic, and N.M. Acamovic, Feb., p. 25.

Development of a Chromate-Free Primer for Aluminum and Steel to Meet CGSB Specifications—T. Foster, G.N. Blenkinsop, P. Blattler, and M. Szandorowski, Oct., p. 101.

E

Effect of the Di-Iron Phosphide Conductive Extender on the Protective Mechanisms of Zinc-Rich Coatings—S. Feliu, Jr., J.M. Bastidas, M. Morcillo, and S. Feliu, Mar., p. 67.

Effects of Acidic Deposition on Painted Wood: A Review—R.S. Williams, Sept., p. 53.

Effects of Immersion on the Electrochemical Properties and Water Uptake of an Epoxy/Mild Steel System—G.S. Shaw, C.E. Rogers, J.H. Payer, and E.A. Cuellar, Apr., p. 35.

Electrochemical Methods for Appraising Corrosion Protective Coatings—H. Leidheiser, Jr., Nov., p. 20.

Electrostatic Painting of Plastics. I: Electrical Properties of Plastics and Primers—D.P. Garner and A.A. Elmoursi, Dec., p. 33.

F

Factors Affecting Titanium Dioxide Dispersion in Trade Sales Paints—A. Brisson and A. Haber, Mar., p. 59.

Flow Agents for High Solids Coatings—M. Schnall, Jan., p. 95.

Formulating Stable Latex Paints with Zinc Oxide—I.V. Mattei, R. Martorano, and E.A. Johnson, Dec., p. 39.

G

Gloss of Paint Films and the Mechanism of Pigment Involvement—J.H. Braun, Aug., p. 43.

I

Influence of Coalescing Aids in Associative Thickener Dispersions—K. Alahapperuma and J.E. Glass, Aug., p. 69.

Interactions of Associative Thickeners with Paint Components as Studied by the Use of a Fluorescently Labeled Model Thickener—B. Richey, A.B. Kirk, E.K. Eisenhart, S. Fitzwater, and J. Hook, July, p. 31.

K

Kinetics of Crosslinking of Poly(hydroxyethyl acrylate) with Isocyanates—J. Lavric, A. Sebenik, and U. Osredkar, Apr., p. 29.

L

Latent Amine Catalysts for Epoxy-Carboxy Hybrid Powder Coatings. Investigations on Phase Change Control of Reactivity—S. P. Pappas, V.D. Kuntz, and B. C. Pappas, May p. 39.

M

A Mathematical Model for the Cathodic Blistering of Organic Coatings on Steel Immersed in Electrolytes—T.N. Nguyen, J. B. Hubbard, and G.B. McFadden, Mar., p. 43.

New Horizons in Coatings Technology: 1990—R.B. Seymour, Sept., p. 89.

N

Novel Alternative in High Performance Clear Coats: Molecular Composites Utilizing Arylsilane Aramids—G.J. Trege, J.S. Reed, K.G. Malone, and S.F. Thames, Jan., p. 79.

Novel Approach to Quality Analysis, Optimization, and Control of Film Coating Process—V.A. Skormin and R.J. Siciliano, Jan., p. 103.

P

Preservative Evaluation: Designing an Improved Test System—P.K. Cooke, U.R. Gandhi, E.S. Lashen, and E.L. Leasure, May, p. 33.

Prospects for Radiation Cured Coatings in Food Contact Applications—S.H. Nahm, July, p. 47.

Q

Quinone-Amine Polymers, VII: Selection of Appropriate Solvent Combinations for Jeffamine® D-400-p-Benzoquinone Polymers (PAQ=2:3)—V.S. Nithianandam, F. Chertok, and S. Erhan, May, p. 51.

Quinone-Amine Polymers, VIII: Curing Studies on Jeffamine® D-400-p-Benzoquinone Polymer—V.S. Nithianandam, F. Chertok, and S. Erhan, May, p. 47.

S

Search for a Chromate-Free Wash Primer—T. Foster, G.N. Blenkinsop, P. Blattler, and M. Szandorowski, Oct., p. 91.

Selection of Weatherable Coatings for Thermoplastic Olefins—R.A. Ryntz, Aug., p. 63.

A Soil Resistant Treatment for Low Gloss Coatings—D.L. Gauntt, K.G. Clark, D.J. Hirst, and C.R. Hegedus, Dec., p. 25.

Solvent and Catalyst Effects in the Reaction of Dicyclohexylmethane Diisocyanate with Alcohols and Water—S.D. Seneker and T.A. Potter, Feb., p. 19.

Specific Interactions and Adsorption of Film-Forming Polymers—J.L. Lara, and H.S. Schreiber, Oct., p. 81.

Structural Painting in Early America—M. Finnigan and T.T. Broome, Mar., p. 53.

A Study of Thixotropic Flow Behavior of Alkyd Solutions—A. Kastanek and K. Hajek, Sept., p. 75.

Sorption of Moisture on Epoxy and Alkyd Free Films and Coated Steel Panels—H.N. Rosen and J.W. Martin, Jan., p. 85.

Substrate Factors Affecting the Performance of Organic Coatings on Steel Sheet Surfaces—B.M. Perfetti, Apr., p. 43.

T

Thermodynamic Analysis of Phase Separation in Selfstratifying Coatings—Solubility Parameters Approach—T.A. Misev, Apr., p. 23.

U

Ultrasonic Dispersion of Pigment in Water Based Paints—J.O. Stoffer and M. Fahim, June, p. 61.

Use of Methylolated Abietic Acid and Toluene Diisocyanate in the Modification of Triglyceride Oils—A.T. Erciyes, O.S. Kabasakal, and F.S. Erkal, Sept., p. 83

Use of an Image Analysis Technique to Quantify Pigment Dispersion—Montreal Society, Oct., p. 111.

V

Viscoelastic and Adhesion Properties of Air-Drying Coating Films—K. Horiuchi, and K. Sato, Nov., p. 55.

Z

Zinc Reactivity in Zinc-Rich Coatings Co-Pigmented with Di-Iron Phosphide—S. Feliu, Jr., M. Morcillo, J.M. Bastidas, and S. Feliu, Feb., p. 31.

Open Forum

Waterborne Nitrocellulose Wood Lacquers with Lower VOC—C.M. Winchester, Dec., p. 47.

Author Index

A

ACAMOVIC, N.M.—See Miskovic-Stankovic, V.B.

ALAHAPPERUMA, K. and GLASS, J.E.—Influence of Coalescing Aids in Associative Thickener Dispersions, Aug., p. 69.

AVAR, L.—See Böhnke, H.

B

BASTIDAS, J.M.—See Feliu, S. Jr.

BLATTLER, P.—See Foster, T.

BLENKINSOP, G.N.—See Foster, T.

BÖHNKE, H., AVAR, L., and HESS, E.—Analytical Studies of Light Stabilizers in Two-Coat Automotive Finishes, Aug., p. 53.

BRAUN, J.H.—Gloss of Paint Films and the Mechanism of Pigment Involvement, Aug., p. 43.

BRISSON, A. and HABER, A.—Factors Affecting Titanium Dioxide Dispersion in Trade Sales Paints, Mar., p. 59.

BROOME, T.T.—See Finnigan, M.

C

CALLAIS, P.A., KAMATH, V.R., and SARGENT, J.D.—Acrylic Melamine Coating Compositions Containing Polymer-Bound Hindered Amine Light Stabilizer Acrylic Resins, July, p. 41.

CHERTOK, F.—See Nithianandam, V.S.

CLARK, K.G.—See Gauntt, D.L.

COLLINS, W.—See Kia, S.F.
COOKE, P.K., GANDHI, U.R., LASHEN, E.S., and LEASURE, E.L.—Preservative Evaluation: Designing an Improved Test System, May, p. 33.
CRIVELLO, J.V.—Application of Photoinitiated Cationic Polymerization in Coatings, Feb., p. 35.
CUELLAR, E.A.—See Shaw, G.S.

D

DRAZIC, D.M.—See Miskovic-Stankovic, V.B.

E

EISENHART, E.K.—See Richey, B.
ELMOURSI, A.A.—See Garner, D.P.
ERCIYES, A.T., KABASAKAL, O.S., and ERKAL, F.S.—Use of Methylolated Abietic Acid and Toluene Diisocyanate in the Modification of Triglyceride Oils, Sept., p. 83.
ERHAN, S.—See Nithianandam, V.S.
ERKAL, F.S.—See Erciyes, A.T.

F

FAHIM, M.—See Stoffer, J.O.
FELIU, S. Jr., BASTIDAS, J.M., MORCILLO, M., and FELIU, S.—Effect of the Di-Iron Phosphide Conductive Extender on the Protective Mechanisms of Zinc-Rich Coatings, Mar., p. 67.
FELIU, S. Jr., MORCILLO, M., BASTIDAS, J.M., and FELIU, S.—Zinc Reactivity in Zinc-Rich Coatings Co-Pigmented with Di-Iron Phosphide, Feb., p. 31.
FELIU, S.—See Feliu, S. Jr.
FINNIGAN, M. and BROOME, T.T.—Structural Painting in Early America, Mar., p. 53.
FISHER, C.H.—Calculation of Boiling Points from the Number of Homolog Carbons, Aug., p. 79.
FITZWATER, S.—See Richey, B.
FOSTER, T., BLENKINSOP, G.N., BLATTLER, P., and SZANDOROWSKI, M.—Development of a Chromate-Free Primer for Aluminum and Steel to Meet CGSB Specifications, Oct., p. 101.
FOSTER, T., BLENKINSOP, G.N., BLATTLER, P., and SZANDOROWSKI, M.—Search for a Chromate-Free Wash Primer, Oct., p. 91.

G

GANDHI, U.R.—See Cooke, P.K.
GARNER, D.P. and ELMOURSI, A.A.—Electrostatic Painting of Plastics. I: Electrical Properties of Plastics and Primers, Dec., p. 33.
GAUNTT, D.L., CLARK, K.G., HIRST, D.J., and HEGEDUS, R.—A Soil Resistant Treatment for Low Gloss Coatings, Dec., p. 25.
GLASS, J.E.—See Alahapperuma, K.

H

HABER, A.—See Brisson, A.
HAJEK, K.—See Kastanek, A.
HEGEDUS, R.—See Gauntt, D.L.
HESS, E.—See Böhnke, H.
HIRST, D.J.—See Gauntt, D.L.
HOOK, J.—See Richey, B.
HORIUCHI, K., and SATO, K.—Viscoelastic and Adhesion Properties of Air-Drying Coating Films, Nov., p. 55.
HUBBARD, J.B.—See Nguyen, T.N.

J

JOHNSON, E.A.—See Mattei, I.V.

K

KABASAKAL, O.S.—See Erciyes, A.T.
KAMATH, V.R.—See Callais, P.A.
KASTANEK, A. and HAJEK, K.—A Study of Thixotropic Flow Behavior of Alkyd Solutions, Sept., p. 75.
KIA, S.F., RAI, D.N., SHAW, M.A., RYAN, G., and COLLINS, W.—Chemical Treatment of Overspray Paint, July, p. 55.
KIRK, A.B.—See Richey, B.
KUNTZ, V.D.—See Pappas, S.P.

L

LAMMERS, R.J.—See Oosterbroek, M.
LARA, J. and SCHREIBER, H.P.—Specific Interactions and Adsorption of Film-Forming Polymers, Oct., p. 81
LASHEN, E.S.—See Cooke, P.K.
LAVRIC, J., SEBENIK, A., and OSREDKAR, U.—Kinetics of Crosslinking of Poly(hydroxyethyl acrylate) with Isocyanates, Apr., p. 29
LEASURE, E.L.—See Cooke, P.K.
LEIDHEISER, H. Jr.—Electrochemical Methods for Appraising Corrosion Protective Coatings, Nov., p. 20.

M

MALONE, K.G.—See Tregre, G.J.
MARTIN, J.W.—See Rosen, H.N.
MARTORANO, R.—See Mattei, I.V.
MASSINGILL, J.L.—Adhesion and Flexibility Contributions to the Performance of Epoxy Phosphate Ester Coatings, June, p. 47.
MATTEI, I.V., MARTORANO, R., and JOHNSON, E.A.—Formulating Stable Latex Paints with Xinc Oxide, Dec., p. 39.
McFADDEN, G.B.—See Nguyen, T.N.
MISEV, T.A.—Thermodynamic Analysis of Phase Separation in Selfstratifying Coatings—Solubility Parameters Approach, Apr., p. 23
MISKOVIC-STANKOVIC, V.B., DRAZIC, D.M., and ACAMOVIC, N.M.—Determination of the Protective Properties of Cationic Primers with A.C. Impedance Measurements, Feb., p. 25.
MORCILLO, M.—See Feliu, S. Jr.
MORRIS, N.H.—See Vance, R.G.

N

NAHM, S.H.—Prospects for Radiation Cured Coatings in Food Contact Applications, July, p. 47.
NEAG, C.M. and PRIME, R.B.—Application of Time/Temperature Superposition Techniques to Powder Coating Cure, June, p. 37.
NGUYEN, T.N., HUBBARD, J.B., and McFADDEN, G.B.—A Mathematical Model for the Cathodic Blistering of Organic Coatings on Steel Immersed in Electrolytes, Mar., p. 43.
NITHIANANDAM, V.S., CHERTOK, F., and ERHAN, S.—Quinone-Amine Polymers, VII: Selection of Appropriate Solvent Combinations for Jeffamine® D-400-p-Benzoquinone Polymers (PAQ=2:3), May, p. 51.
NITHIANANDAM, V.S., CHERTOK, F., and ERHAN, S.—Quinone-Amine Polymers, VIII: Curing Studies on Jeffamine® D-400-p-Benzoquinone Polymer, May, p. 47

O

OLSON, C.M.—See Vance, R.G.

OOSTERBROEK, M., LAMMERS, R.J., VAN DER VEN, L.G.J., and PERERA, D.Y.—Crack Formation and Stress Development in an Organic Coating, June, p. 55.
OSREDKAR, U.—See Lavric, J.

P

PAPPAS, B.C.—See Pappas, S.P.
PAPPAS, S.P., KUNTZ, V.D., and PAPPAS, B.C.—Latent Amine Catalysts for Epoxy-Carboxy Hybrid Powder Coatings. Investigations on Phase Change Control of Reactivity, May, p. 39.
PAYER, J.H.—See Shaw, G.S.
PERERA, D.Y.—See Oosterbroek, M.
PERFETTI, B.M.—Substrate Factors Affecting the Performance of Organic Coatings on Steel Sheet Surfaces, Apr., p. 43.
POTTER, T.A.—See Seneker, S.D.
PRIME, R.B.—See Neag, C.M.

R

RAI, D.N.—See Kia, S.F.
REED, J.S.—See Tregre, G.J.
RICHEY, B., KIRK, A.B., EISENHART, E.K., FITZWATER, S., and HOOK, J.—Interactions of Associative Thickeners with Paint Components as Studied by the Use of a Fluorescently Labeled Model Thickener, July, p. 31.
ROGERS, C.E.—See Shaw, G.S.
ROSEN, H.N., and MARTIN, J.W.—Sorption of Moisture on Epoxy and Alkyd Free Films and Coated Steel Panels, Jan., p. 85.
RYAN, G.—See Kia, S.F.
RYNTZ, R.A.—Selection of Weatherable Coatings for Thermoplastic Olefins, Aug., p. 63.

S

SARGENT, J.D.—See Callais, P.A.
SATO, K.—See Horiuchi, K.
SCHNALL, M.—Flow Agents for High Solids Coatings, Jan., p. 95.
SCHREIBER, H.P.—See Lara, J.
SEBENIK, A.—See Lavric, J.
SENEKER, S.D., and POTTER, T.A.—Solvent and Catalyst Effects in the Reaction of Dicyclohexylmethane Diisocyanate with Alcohols and Water, Feb., p. 19.
SEYMOUR, R.B.—New Horizons in Coatings Technology: 1990, Sept., p. 89.
SHAW, G.S., ROGERS, C.E., PAYER, J.H., and CUELLAR, E.A.—Effects of Immersion on the Electrochemical Properties and Water Uptake of an Epoxy/Mild Steel System, Apr., p. 35.
SHAW, M.A.—See Kia, S.F.
SICILIANO, R.J.—See Skormin, V.A.
SKORMIN, V.A. and SICILIANO, R.J.—Novel Approach to Quality Analysis, Optimization, and Control of Film Coating Process, Jan., p. 103.
STOFFER, J.O. and FAHIM, M.—Ultrasonic Dispersion of Pigment in Water Based Paints, June, p. 61.
SZANDOROWSKI, M.—See Foster, T.

T

THAMES, S.F.—See Tregre, G.J.
TREGRE, G.J., REED, J.S., MALONE, K.G., and THAMES, S.F.—Novel Alternative in High Performance Clear Coats: Molecular Composites Utilizing Arylsilane Aramids, Jan., p. 79.

V

VAN DER VEN, L.G.J.—See Oosterbroek, M.
VANCE, R.G., MORRIS, N.H., and OLSON, C.M.—Coupling Solvent Effects on Water-Reducible Alkyd Resins, Nov., p. 47.

W

WILLIAMS, R.S.—Effects of Acid Deposition on Painted Wood: A Review, Sept., p. 53.
WINCHESTER, C.M.—Waterborne Nitrocellulose Wood Lacquers with Lower VOC, Dec., p. 47.

Constituent Society Papers

MONTREAL SOCIETY—Use of an Image Analysis Technique to Quantify Pigment Dispersion, Oct., p. 111.
CLEVELAND SOCIETY—Changes in Hiding During Latex Film Formation: Part II. Particle Size and Pigment Packing Effects, Nov., p. 35.